



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2831165	Report of Analysis		Report Number: 18-218-4205 V2																																																																																																																																																	
Account: 27791	DOUG BULLOCK CITY OF RICHLAND PO BOX 190 RICHLAND WA 99352		 Robert Ferris Account Manager 402-829-9871																																																																																																																																																		
Date Sampled:	2018-07-24																																																																																																																																																				
Date Received:	2018-07-25		COMPOST FACILITY																																																																																																																																																		
Sample ID:	F.C. ROW 0222-18																																																																																																																																																				
Total content, lbs per ton (as rec'd)																																																																																																																																																					
<table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis (as rec'd)</th> <th>Analysis (dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5">NUTRIENTS</td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>1.72</td> <td>2.32</td> <td>34.4</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>1.57</td> <td>2.11</td> <td>31.3</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.133</td> <td>0.179</td> <td>2.7</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>0.02</td> <td>0.03</td> <td>0.4</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.57</td> <td>0.77</td> <td>11.4</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>1.30</td> <td>1.75</td> <td>26.0</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.70</td> <td>0.94</td> <td>14.0</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.84</td> <td>1.13</td> <td>16.8</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.33</td> <td>0.44</td> <td>6.6</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>2.28</td> <td>3.07</td> <td>45.6</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.47</td> <td>0.63</td> <td>9.4</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.050</td> <td>0.067</td> <td>1.0</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>9500</td> <td>12796</td> <td>19.0</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>216</td> <td>291</td> <td>0.4</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>< 100</td> <td>---</td> <td>---</td> </tr> <tr> <td colspan="5">OTHER PROPERTIES</td> </tr> <tr> <td>Moisture</td> <td>%</td> <td colspan="2">25.76</td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>74.24</td> <td></td> <td>1484.8</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>35.30</td> <td>47.55</td> <td>706.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>38.40</td> <td>51.72</td> <td>768.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>18.33</td> <td>24.69</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.13</td> <td>0.18</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td colspan="2">6.5</td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td colspan="2">3.72</td> <td></td> </tr> </tbody> </table>							Analysis (as rec'd)	Analysis (dry weight)		NUTRIENTS					Nitrogen					Total Nitrogen	%	1.72	2.32	34.4	Organic Nitrogen	%	1.57	2.11	31.3	Ammonium Nitrogen	%	0.133	0.179	2.7	Nitrate Nitrogen	%	0.02	0.03	0.4	Major and Secondary Nutrients					Phosphorus	%	0.57	0.77	11.4	Phosphorus as P2O5	%	1.30	1.75	26.0	Potassium	%	0.70	0.94	14.0	Potassium as K2O	%	0.84	1.13	16.8	Sulfur	%	0.33	0.44	6.6	Calcium	%	2.28	3.07	45.6	Magnesium	%	0.47	0.63	9.4	Sodium	%	0.050	0.067	1.0	Micronutrients					Iron	ppm	9500	12796	19.0	Manganese	ppm	216	291	0.4	Boron	ppm	< 100	---	---	OTHER PROPERTIES					Moisture	%	25.76			Total Solids	%	74.24		1484.8	Organic Matter	%	35.30	47.55	706.0	Ash	%	38.40	51.72	768.0	Total Carbon	%	18.33	24.69		Chloride	%	0.13	0.18		pH		6.5			Conductivity 1:5 (Soluble Salts)	mS/cm	3.72		
		Analysis (as rec'd)	Analysis (dry weight)																																																																																																																																																		
NUTRIENTS																																																																																																																																																					
Nitrogen																																																																																																																																																					
Total Nitrogen	%	1.72	2.32	34.4																																																																																																																																																	
Organic Nitrogen	%	1.57	2.11	31.3																																																																																																																																																	
Ammonium Nitrogen	%	0.133	0.179	2.7																																																																																																																																																	
Nitrate Nitrogen	%	0.02	0.03	0.4																																																																																																																																																	
Major and Secondary Nutrients																																																																																																																																																					
Phosphorus	%	0.57	0.77	11.4																																																																																																																																																	
Phosphorus as P2O5	%	1.30	1.75	26.0																																																																																																																																																	
Potassium	%	0.70	0.94	14.0																																																																																																																																																	
Potassium as K2O	%	0.84	1.13	16.8																																																																																																																																																	
Sulfur	%	0.33	0.44	6.6																																																																																																																																																	
Calcium	%	2.28	3.07	45.6																																																																																																																																																	
Magnesium	%	0.47	0.63	9.4																																																																																																																																																	
Sodium	%	0.050	0.067	1.0																																																																																																																																																	
Micronutrients																																																																																																																																																					
Iron	ppm	9500	12796	19.0																																																																																																																																																	
Manganese	ppm	216	291	0.4																																																																																																																																																	
Boron	ppm	< 100	---	---																																																																																																																																																	
OTHER PROPERTIES																																																																																																																																																					
Moisture	%	25.76																																																																																																																																																			
Total Solids	%	74.24		1484.8																																																																																																																																																	
Organic Matter	%	35.30	47.55	706.0																																																																																																																																																	
Ash	%	38.40	51.72	768.0																																																																																																																																																	
Total Carbon	%	18.33	24.69																																																																																																																																																		
Chloride	%	0.13	0.18																																																																																																																																																		
pH		6.5																																																																																																																																																			
Conductivity 1:5 (Soluble Salts)	mS/cm	3.72																																																																																																																																																			

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

Lab #	2831165	Biological & Physical Properties			Report Number: 18-218-4205 V2
Account: 27791	DOUG BULLOCK CITY OF RICHLAND PO BOX 190 RICHLAND WA 99352			 Robert Ferris Client Service Representative 402-829-9871	
Date Sampled:	2018-07-24			COMPOST FACILITY	
Date Received:	2018-07-25				
Sample ID:	F.C. ROW 0222-18				
	Analysis (as rec'd)	Analysis (dry weight)	Units	Detection Limit	Method
Biological Properties					
Germination	100		%	1	TMECC 05.05A
Germination Vigor	56		%	1	TMECC 05.05A
CO ₂ OM Evolution	0.11		mgCO ₂ -C/gOM/day	0.01	TMECC 05.08B
CO ₂ Solids Evolution	0.37		mgCO ₂ -C/gTS/day	0.01	TMECC 05.08B
Fecal Coliform		3	mpn/g	0.2	EPA 1681
Stability Rating	Stable		N/A	N/A	TMECC 05.08B
Physical Properties					
Bulk Density (Loose)	893		lbs/cu yard	1	WT/VOL
Bulk Density (Packed)	1045		lbs/cu yard	1	WT/VOL
Film Plastics	n.d.		%	0.25	Microscopic
Glass Fragments	n.d.		%	0.25	Microscopic
Hard Plastics	n.d.		%	0.25	Microscopic
Metal Fragment	n.d.		%	0.25	Microscopic
Sharps	Absent		---	---	Microscopic
Max. Particle Length		2.5	inches	N/A	TMECC Sieve
Sieve % Passing 3"		100	%	0.01	TMECC Sieve
Sieve % Passing 2"		100	%	0.01	TMECC Sieve
Sieve % Passing 1.5"		100	%	0.01	TMECC Sieve
Sieve % Passing 1"		100	%	0.01	TMECC Sieve
Sieve % Passing 3/4"		100	%	0.01	TMECC Sieve
Sieve % Passing 5/8"		100	%	0.01	TMECC Sieve
Sieve % Passing 3/8"		100	%	0.01	TMECC Sieve
Sieve % Passing 1/4"		96	%	0.01	TMECC Sieve

Compost Results Interpretations

Page 1

Report #:

18-218-4205 V2

DATE RECEIVED:

2018-07-25

Organic Matter %		Greater than 20% indicates a desirable range for compost on a dry weight basis.
35.30	As Received	
47.55	Dry Weight	

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

C/N Ratio		20-30 indicates an ideal range for the initial compost process. 10-20 indicates an ideal range for a finished compost.
10.7:1		

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

Moisture %		<35% = Indicates overly dry compost >55% = Indicates overly wet compost
25.76		

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

18-218-4205 V2

DATE RECEIVED:

2018-07-25

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

Conductivity 1:5
3.7

Conductivity Level	Interpretation
Greater than 10	Very High nutrient content. Use for Ag Applications
5 - 10	High nutrient content. Use for Ag Applications
3 - 5	Higher than desirable for salt sensitive plants, some loss of vigor
0.6 - 3	Desirable range for most plants
0.3 - 0.6	Ideal range for greenhouse growth media
0.0 - 0.3	Very Low: Indicates very low nutrient status: plants may show deficiencies.

Compost Results Interpretations

Page 3

Report #:

18-218-4205 V2

DATE RECEIVED:

2018-07-25

pH Value

6.5

0 to 14 scale with 6 to 8 as normal pH levels for compost

A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)

>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

AG INDEX CHART										
<i>salt injury possible</i>	<i>use on soils with excellent drainage characteristics, good water quality and low salts</i>				<i>you may use on soils with poor drainage, poor water quality, or high salts</i>					<i>for all soils</i>
1	2	3	4	5	6	7	8	9	10	> 10

Nutrients (N+P205+K20)

5.20

Average Nutrient Content Dry Weight

<2 = Low, >5 = High

1.5-1.5-1

Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

18-218-4205 V2

REPORT DATE
Aug 21, 2018
 RECEIVED DATE
Jul 25, 2018

SEND TO
27791



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770
 www.midwestlabs.com

ISSUE DATE
Aug 21, 2018

**CITY OF RICHLAND
 DOUG BULLOCK
 PO BOX 190
 RICHLAND WA 99352**

REPORT OF ANALYSIS
 For: (27791) CITY OF RICHLAND
 COMPOST FACILITY

Analysis	Level Found		Reporting			Analyst- Date	Verified- Date
	As Received	Dry Weight	Units	Limit	Method		

Sample ID: **F.C. ROW 0222-18** Lab Number: **2831165** Date Sampled: **2018-07-24**

Cadmium (total)	n.d.	n.d.	mg/kg	0.50	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Chromium (total)	13.1	17.6	mg/kg	1.00	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Mercury (total)	0.18	0.24	mg/kg	0.05	EPA 7471	trh1-2018/07/28	bab2-2018/08/01
Lead (total)	6.6	8.9	mg/kg	5.0	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Molybdenum (total)	3.8	5.1	mg/kg	1.0	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Nickel (total)	12.4	16.7	mg/kg	1.0	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Selenium (total)	n.d.	n.d.	mg/kg	10.0	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Zinc (total)	217.9	293.5	mg/kg	2.0	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Copper (total)	126	170	mg/kg	1	EPA 6010	ras7-2018/07/26	bab2-2018/08/01
Arsenic (total)	3.53	4.75	mg/kg	0.5	EPA 6020	ras7-2018/07/29	bab2-2018/08/01

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.
 This report was reissued on 2018-08-21 09:58:29 by raf4 for the following reason:
 corrected account.
 n.d. = not detected , ppm = parts per million, mg/kg

cc: Account(s) 27791 CITY OF RICHLAND

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

18-218-4205 V2

REPORT DATE

Aug 21, 2018

RECEIVED DATE

Jul 25, 2018

SEND TO

27791



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770

www.midwestlabs.com

ISSUE DATE

Aug 21, 2018

**CITY OF RICHLAND
 DOUG BULLOCK
 PO BOX 190
 RICHLAND WA 99352**

REPORT OF ANALYSIS
 For: (27791) CITY OF RICHLAND
 COMPOST FACILITY

For questions please contact:

A handwritten signature in black ink, appearing to read "Rob Ferris", is written over a horizontal line.

Rob Ferris
 Account Manager
rferris@midwestlabs.com (402)829-9871

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.