





13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

| Lab #  | 8607660   | Report of Analysis     |   | Report Number: 19-099-4099 |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
|--|---|------------------------|---|----------------------------|--|--|------------------------|--------------------------|--|------------------|--|--|--|--|----------|--|--|--|--|----------------|---|------|------|------|------------------|---|------|------|------|-------------------|---|-------|-------|-----|------------------|---|--------|------|------|-------------------------------|--|--|--|--|------------|---|------|------|-----|--------------------|---|------|------|------|-----------|---|------|------|------|------------------|---|------|------|------|--------|---|------|------|-----|---------|---|------|------|------|-----------|---|------|------|-----|--------|---|-------|-------|-----|----------------|--|--|--|--|------|-----|------|-------|------|-----------|-----|-----|-----|-----|-------|-----|-------|------|------|-------------------------|--|--|--|--|----------|---|-------|--|--|--------------|---|-------|--|--------|----------------|---|-------|-------|-------|-----|---|-------|-------|-------|--------------|---|-------|-------|--|----------|---|------|------|--|----|--|-----|--|--|----------------------------------|-------|------|--|--|
| <b>Account:</b><br>27791   | DOUG BULLOCK<br>CITY OF RICHLAND<br>PO BOX 190<br>RICHLAND WA 99352 |                        | <br>Robert Ferris<br>Account Manager<br>402-829-9871 |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| <b>Date Sampled:</b>   | 2019-03-26  |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| <b>Date Received:</b>  | 2019-03-27  |                        | STA ANALYSIS  |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| <b>Sample ID:</b>  | ROW ASP-2   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Total content,<br>lbs per ton<br>(as rec'd)  |   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| <table border="1"> <thead> <tr> <th></th> <th></th> <th>Analysis<br/>(as rec'd)</th> <th>Analysis<br/>(dry weight)</th> <th></th> </tr> </thead> <tbody> <tr> <td colspan="5"><b>NUTRIENTS</b></td> </tr> <tr> <td colspan="5">Nitrogen</td> </tr> <tr> <td>Total Nitrogen</td> <td>%</td> <td>1.61</td> <td>2.91</td> <td>32.2</td> </tr> <tr> <td>Organic Nitrogen</td> <td>%</td> <td>1.44</td> <td>2.60</td> <td>28.8</td> </tr> <tr> <td>Ammonium Nitrogen</td> <td>%</td> <td>0.170</td> <td>0.307</td> <td>3.4</td> </tr> <tr> <td>Nitrate Nitrogen</td> <td>%</td> <td>&lt; 0.01</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5">Major and Secondary Nutrients</td> </tr> <tr> <td>Phosphorus</td> <td>%</td> <td>0.43</td> <td>0.78</td> <td>8.6</td> </tr> <tr> <td>Phosphorus as P2O5</td> <td>%</td> <td>0.98</td> <td>1.77</td> <td>19.6</td> </tr> <tr> <td>Potassium</td> <td>%</td> <td>0.62</td> <td>1.12</td> <td>12.4</td> </tr> <tr> <td>Potassium as K2O</td> <td>%</td> <td>0.75</td> <td>1.35</td> <td>15.0</td> </tr> <tr> <td>Sulfur</td> <td>%</td> <td>0.25</td> <td>0.45</td> <td>5.0</td> </tr> <tr> <td>Calcium</td> <td>%</td> <td>1.48</td> <td>2.67</td> <td>29.6</td> </tr> <tr> <td>Magnesium</td> <td>%</td> <td>0.32</td> <td>0.58</td> <td>6.4</td> </tr> <tr> <td>Sodium</td> <td>%</td> <td>0.040</td> <td>0.072</td> <td>0.8</td> </tr> <tr> <td colspan="5">Micronutrients</td> </tr> <tr> <td>Iron</td> <td>ppm</td> <td>7250</td> <td>13091</td> <td>14.5</td> </tr> <tr> <td>Manganese</td> <td>ppm</td> <td>148</td> <td>267</td> <td>0.3</td> </tr> <tr> <td>Boron</td> <td>ppm</td> <td>&lt; 100</td> <td>----</td> <td>----</td> </tr> <tr> <td colspan="5"><b>OTHER PROPERTIES</b></td> </tr> <tr> <td>Moisture</td> <td>%</td> <td>44.62</td> <td></td> <td></td> </tr> <tr> <td>Total Solids</td> <td>%</td> <td>55.38</td> <td></td> <td>1107.6</td> </tr> <tr> <td>Organic Matter</td> <td>%</td> <td>29.20</td> <td>52.73</td> <td>584.0</td> </tr> <tr> <td>Ash</td> <td>%</td> <td>25.70</td> <td>46.41</td> <td>514.0</td> </tr> <tr> <td>Total Carbon</td> <td>%</td> <td>15.45</td> <td>27.90</td> <td></td> </tr> <tr> <td>Chloride</td> <td>%</td> <td>0.18</td> <td>0.33</td> <td></td> </tr> <tr> <td>pH</td> <td></td> <td>6.4</td> <td></td> <td></td> </tr> <tr> <td>Conductivity 1:5 (Soluble Salts)</td> <td>mS/cm</td> <td>5.78</td> <td></td> <td></td> </tr> </tbody> </table> |   |                        |   |                            |  |  | Analysis<br>(as rec'd) | Analysis<br>(dry weight) |  | <b>NUTRIENTS</b> |  |  |  |  | Nitrogen |  |  |  |  | Total Nitrogen | % | 1.61 | 2.91 | 32.2 | Organic Nitrogen | % | 1.44 | 2.60 | 28.8 | Ammonium Nitrogen | % | 0.170 | 0.307 | 3.4 | Nitrate Nitrogen | % | < 0.01 | ---- | ---- | Major and Secondary Nutrients |  |  |  |  | Phosphorus | % | 0.43 | 0.78 | 8.6 | Phosphorus as P2O5 | % | 0.98 | 1.77 | 19.6 | Potassium | % | 0.62 | 1.12 | 12.4 | Potassium as K2O | % | 0.75 | 1.35 | 15.0 | Sulfur | % | 0.25 | 0.45 | 5.0 | Calcium | % | 1.48 | 2.67 | 29.6 | Magnesium | % | 0.32 | 0.58 | 6.4 | Sodium | % | 0.040 | 0.072 | 0.8 | Micronutrients |  |  |  |  | Iron | ppm | 7250 | 13091 | 14.5 | Manganese | ppm | 148 | 267 | 0.3 | Boron | ppm | < 100 | ---- | ---- | <b>OTHER PROPERTIES</b> |  |  |  |  | Moisture | % | 44.62 |  |  | Total Solids | % | 55.38 |  | 1107.6 | Organic Matter | % | 29.20 | 52.73 | 584.0 | Ash | % | 25.70 | 46.41 | 514.0 | Total Carbon | % | 15.45 | 27.90 |  | Chloride | % | 0.18 | 0.33 |  | pH |  | 6.4 |  |  | Conductivity 1:5 (Soluble Salts) | mS/cm | 5.78 |  |  |
|  |   | Analysis<br>(as rec'd) | Analysis<br>(dry weight)  |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| <b>NUTRIENTS</b>   |   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Nitrogen   |   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Total Nitrogen   | %   | 1.61                   | 2.91  | 32.2                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Organic Nitrogen   | %   | 1.44                   | 2.60  | 28.8                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Ammonium Nitrogen  | %   | 0.170                  | 0.307   | 3.4                        |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Nitrate Nitrogen   | %   | < 0.01                 | ----  | ----                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Major and Secondary Nutrients  |   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Phosphorus   | %   | 0.43                   | 0.78  | 8.6                        |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Phosphorus as P2O5   | %   | 0.98                   | 1.77  | 19.6                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Potassium  | %   | 0.62                   | 1.12  | 12.4                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Potassium as K2O   | %   | 0.75                   | 1.35  | 15.0                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Sulfur   | %   | 0.25                   | 0.45  | 5.0                        |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Calcium  | %   | 1.48                   | 2.67  | 29.6                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Magnesium  | %   | 0.32                   | 0.58  | 6.4                        |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Sodium   | %   | 0.040                  | 0.072   | 0.8                        |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Micronutrients   |   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Iron   | ppm   | 7250                   | 13091   | 14.5                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Manganese  | ppm   | 148                    | 267   | 0.3                        |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Boron  | ppm   | < 100                  | ----  | ----                       |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| <b>OTHER PROPERTIES</b>  |   |                        |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Moisture   | %   | 44.62                  |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Total Solids   | %   | 55.38                  |   | 1107.6                     |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Organic Matter   | %   | 29.20                  | 52.73   | 584.0                      |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Ash  | %   | 25.70                  | 46.41   | 514.0                      |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Total Carbon   | %   | 15.45                  | 27.90   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Chloride   | %   | 0.18                   | 0.33  |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| pH   |   | 6.4                    |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |
| Conductivity 1:5 (Soluble Salts)   | mS/cm   | 5.78                   |   |                            |  |  |                        |                          |  |                  |  |  |  |  |          |  |  |  |  |                |   |      |      |      |                  |   |      |      |      |                   |   |       |       |     |                  |   |        |      |      |                               |  |  |  |  |            |   |      |      |     |                    |   |      |      |      |           |   |      |      |      |                  |   |      |      |      |        |   |      |      |     |         |   |      |      |      |           |   |      |      |     |        |   |       |       |     |                |  |  |  |  |      |     |      |       |      |           |     |     |     |     |       |     |       |      |      |                         |  |  |  |  |          |   |       |  |  |              |   |       |  |        |                |   |       |       |       |     |   |       |       |       |              |   |       |       |  |          |   |      |      |  |    |  |     |  |  |                                  |       |      |  |  |

13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770 • FAX (402) 334-9121 • www.midwestlabs.com

| Lab #  | 8607660   | <b>Biological &amp; Physical Properties</b> | Report Number: 19-099-4099  |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
|--|---|---|---|-----------------|--------------|--|------------------------|--------------------------|-------|-----------------|--------|------------------------------|--|--|--|--|--|-------------|-----|--|---|---|--------------|-------------------|-----|--|---|---|--------------|------------------------------|------|--|------------------------------|------|--------------|----------------------------------|------|--|------------------------------|------|--------------|----------------|--|-------|-------|-----|----------|------------------|--------|--|-----|-----|--------------|----------------------------|--|--|--|--|--|----------------------|-----|--|-------------|---|--------|-----------------------|------|--|-------------|---|--------|---------------|------|--|---|------|-------------|-----------------|------|--|---|------|-------------|---------------|------|--|---|------|-------------|----------------|------|--|---|------|-------------|--------|--------|--|-----|-----|-------------|----------------------|--|-----|--------|-----|-------------|--------------------|--|-----|---|------|-------------|--------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|--------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|----------------------|--|-----|---|------|-------------|----------------------|--|----|---|------|-------------|
| <b>Account:</b><br>27791   | DOUG BULLOCK<br>CITY OF RICHLAND<br>PO BOX 190<br>RICHLAND WA 99352 |   | <br>Robert Ferris<br>Client Service Representative<br>402-829-9871 |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| <b>Date Sampled:</b>   | 2019-03-26  |   | STA ANALYSIS  |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| <b>Date Received:</b>  | 2019-03-27  |   |   |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| <b>Sample ID:</b>  | ROW ASP-2   |   |   |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;"></th> <th style="width: 15%;">Analysis<br/>(as rec'd)</th> <th style="width: 15%;">Analysis<br/>(dry weight)</th> <th style="width: 10%;">Units</th> <th style="width: 10%;">Detection Limit</th> <th style="width: 15%;">Method</th> </tr> </thead> <tbody> <tr> <td colspan="6"><b>Biological Properties</b></td> </tr> <tr> <td>Germination</td> <td>100</td> <td></td> <td>%</td> <td>1</td> <td>TMECC 05.05A</td> </tr> <tr> <td>Germination Vigor</td> <td>100</td> <td></td> <td>%</td> <td>1</td> <td>TMECC 05.05A</td> </tr> <tr> <td>CO<sub>2</sub> OM Evolution</td> <td>1.15</td> <td></td> <td>mgCO<sub>2</sub>-C/gOM/day</td> <td>0.01</td> <td>TMECC 05.08B</td> </tr> <tr> <td>CO<sub>2</sub> Solids Evolution</td> <td>0.72</td> <td></td> <td>mgCO<sub>2</sub>-C/gTS/day</td> <td>0.01</td> <td>TMECC 05.08B</td> </tr> <tr> <td>Fecal Coliform</td> <td></td> <td>31130</td> <td>mpn/g</td> <td>0.2</td> <td>EPA 1681</td> </tr> <tr> <td>Stability Rating</td> <td>Stable</td> <td></td> <td>N/A</td> <td>N/A</td> <td>TMECC 05.08B</td> </tr> <tr> <td colspan="6"><b>Physical Properties</b></td> </tr> <tr> <td>Bulk Density (Loose)</td> <td>775</td> <td></td> <td>lbs/cu yard</td> <td>1</td> <td>WT/VOL</td> </tr> <tr> <td>Bulk Density (Packed)</td> <td>1163</td> <td></td> <td>lbs/cu yard</td> <td>1</td> <td>WT/VOL</td> </tr> <tr> <td>Film Plastics</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Glass Fragments</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Hard Plastics</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Metal Fragment</td> <td>n.d.</td> <td></td> <td>%</td> <td>0.25</td> <td>Microscopic</td> </tr> <tr> <td>Sharps</td> <td>Absent</td> <td></td> <td>---</td> <td>---</td> <td>Microscopic</td> </tr> <tr> <td>Max. Particle Length</td> <td></td> <td>1.5</td> <td>inches</td> <td>N/A</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 2"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1.5"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3/4"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 5/8"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 3/8"</td> <td></td> <td>100</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> <tr> <td>Sieve % Passing 1/4"</td> <td></td> <td>98</td> <td>%</td> <td>0.01</td> <td>TMECC Sieve</td> </tr> </tbody> </table> |   |   |   |                 |              |  | Analysis<br>(as rec'd) | Analysis<br>(dry weight) | Units | Detection Limit | Method | <b>Biological Properties</b> |  |  |  |  |  | Germination | 100 |  | % | 1 | TMECC 05.05A | Germination Vigor | 100 |  | % | 1 | TMECC 05.05A | CO <sub>2</sub> OM Evolution | 1.15 |  | mgCO <sub>2</sub> -C/gOM/day | 0.01 | TMECC 05.08B | CO <sub>2</sub> Solids Evolution | 0.72 |  | mgCO <sub>2</sub> -C/gTS/day | 0.01 | TMECC 05.08B | Fecal Coliform |  | 31130 | mpn/g | 0.2 | EPA 1681 | Stability Rating | Stable |  | N/A | N/A | TMECC 05.08B | <b>Physical Properties</b> |  |  |  |  |  | Bulk Density (Loose) | 775 |  | lbs/cu yard | 1 | WT/VOL | Bulk Density (Packed) | 1163 |  | lbs/cu yard | 1 | WT/VOL | Film Plastics | n.d. |  | % | 0.25 | Microscopic | Glass Fragments | n.d. |  | % | 0.25 | Microscopic | Hard Plastics | n.d. |  | % | 0.25 | Microscopic | Metal Fragment | n.d. |  | % | 0.25 | Microscopic | Sharps | Absent |  | --- | --- | Microscopic | Max. Particle Length |  | 1.5 | inches | N/A | TMECC Sieve | Sieve % Passing 3" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 2" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 1.5" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 1" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 3/4" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 5/8" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 3/8" |  | 100 | % | 0.01 | TMECC Sieve | Sieve % Passing 1/4" |  | 98 | % | 0.01 | TMECC Sieve |
|  | Analysis<br>(as rec'd)  | Analysis<br>(dry weight)                    | Units   | Detection Limit | Method       |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| <b>Biological Properties</b>   |   |   |   |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Germination  | 100   |   | %   | 1               | TMECC 05.05A |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Germination Vigor  | 100   |   | %   | 1               | TMECC 05.05A |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| CO <sub>2</sub> OM Evolution   | 1.15  |   | mgCO <sub>2</sub> -C/gOM/day  | 0.01            | TMECC 05.08B |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| CO <sub>2</sub> Solids Evolution   | 0.72  |   | mgCO <sub>2</sub> -C/gTS/day  | 0.01            | TMECC 05.08B |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Fecal Coliform   |   | 31130                                       | mpn/g   | 0.2             | EPA 1681     |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Stability Rating   | Stable  |   | N/A   | N/A             | TMECC 05.08B |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| <b>Physical Properties</b>   |   |   |   |                 |              |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Bulk Density (Loose)   | 775   |   | lbs/cu yard   | 1               | WT/VOL       |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Bulk Density (Packed)  | 1163  |   | lbs/cu yard   | 1               | WT/VOL       |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Film Plastics  | n.d.  |   | %   | 0.25            | Microscopic  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Glass Fragments  | n.d.  |   | %   | 0.25            | Microscopic  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Hard Plastics  | n.d.  |   | %   | 0.25            | Microscopic  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Metal Fragment   | n.d.  |   | %   | 0.25            | Microscopic  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sharps   | Absent  |   | ---   | ---             | Microscopic  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Max. Particle Length   |   | 1.5   | inches  | N/A             | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 3"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 2"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 1.5"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 1"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 3/4"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 5/8"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 3/8"   |   | 100   | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |
| Sieve % Passing 1/4"   |   | 98  | %   | 0.01            | TMECC Sieve  |  |                        |                          |       |                 |        |                              |  |  |  |  |  |             |     |  |   |   |              |                   |     |  |   |   |              |                              |      |  |                              |      |              |                                  |      |  |                              |      |              |                |  |       |       |     |          |                  |        |  |     |     |              |                            |  |  |  |  |  |                      |     |  |             |   |        |                       |      |  |             |   |        |               |      |  |   |      |             |                 |      |  |   |      |             |               |      |  |   |      |             |                |      |  |   |      |             |        |        |  |     |     |             |                      |  |     |        |     |             |                    |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                    |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |     |   |      |             |                      |  |    |   |      |             |

Compost Results Interpretations

Page 1

Report #:

19-099-4099

DATE RECEIVED:

2019-03-27

|                  |             |   |
|------------------|-------------|---|
| Organic Matter % |             | Greater than 20% indicates a desirable range for compost on a dry weight basis. |
| 29.20            | As Received |   |
| 52.73            | Dry Weight  |   |

Compost is a significant source of Organic Matter, which is an important supplier of carbon. Organic Matter improves soil and plant efficiency by improving soil physical properties, providing a source of energy to beneficial organisms, and enhancing the reservoir of soil nutrients.

|           |  |   |
|-----------|--|---|
| C/N Ratio |  | 20-30 indicates an ideal range for the initial compost process.<br>10-20 indicates an ideal range for a finished compost. |
| 9.6:1     |  |   |

All organic matter is made up of substantial amounts of carbon with lesser amounts of nitrogen. The balance of these two elements is called the Carbon/Nitrogen Ratio. For the best performance, the compost pile requires the correct proportion of carbon for energy and nitrogen for protein production. If the C:N ratio is too high (excess carbon) decomposition slows down. If the C:N ratio is too low (excess Nitrogen) the compost pile could be difficult to manage.

|            |  |  |
|------------|--|--|
| Moisture % |  | <35% = Indicates overly dry compost<br><br>>55% = Indicates overly wet compost |
| 44.62      |  |  |

Moisture Percent is the measure of water present in the compost and expressed as a percentage of total weight. Moisture present affects handling and transport. Overly dry will be light and dusty while overly wet will be heavy and clumpy. A desirable moisture content of finished compost will range between 40 to 50%.

Compost Results Interpretations

Page 2

Report #:

19-099-4099

DATE RECEIVED:

2019-03-27

Conductivity or Soluble Salts measures the conductance of electrical current in a liquid compost slurry. Excessive soluble salt content in a compost can prevent or delay seed germination and proper root growth. Conductivity analysis is done on a 1:5 basis.

|                  |
|------------------|
| Conductivity 1:5 |
| 5.8              |

| Conductivity Level | Interpretation  |
|--------------------|---|
| Greater than 10    | Very High nutrient content. Use for Ag Applications                         |
| 5 - 10             | High nutrient content. Use for Ag Applications                              |
| 3 - 5              | Higher than desirable for salt sensitive plants, some loss of vigor         |
| 0.6 - 3            | Desirable range for most plants   |
| 0.3 - 0.6          | Ideal range for greenhouse growth media                                     |
| 0.0 - 0.3          | Very Low: Indicates very low nutrient status: plants may show deficiencies. |

Compost Results Interpretations

Page 3

Report #:

19-099-4099

DATE RECEIVED:

2019-03-27

pH Value

6.4

0 to 14 scale with 6 to 8 as normal pH levels for compost

A pH in the 6 to 8 pH range indicates a more mature compost

pH measures the acidity or alkalinity of the compost, and is a measurement of the hydrogen ion activity of a soil or compost on a logarithmic scale. The pH scale ranges from 0 to 14 and 7 indicates a neutral pH. Growing media with a higher pH or pH greater than 7 can benefit from a compost that has a more acidic pH or pH below 7. This type of application will possibly lower the soil pH making the soil more conducive to plants that thrive in a more acidic soil condition.

Nutrient Index (Ag Index)

>10

The Nutrient Index normally runs between 1 and 10.

The Nutrient Index is obtained by dividing the total nutrients (N,P,K) by the amount of salt (Sodium and Chloride). The higher the Nutrient Index the less chance of having a toxic buildup of Sodium (salt) in the soil.

| AG INDEX CHART              |   |   |   |   |   |   |   |   |                      |      |
|-----------------------------|---|---|---|---|---|---|---|---|----------------------|------|
| <i>salt injury possible</i> | <i>use on soils with excellent drainage characteristics, good water quality and low salts</i> |   |   |   | <i>you may use on soils with poor drainage, poor water quality, or high salts</i> |   |   |   | <i>for all soils</i> |      |
| 1                           | 2   | 3 | 4 | 5 | 6   | 7 | 8 | 9 | 10                   | > 10 |

Nutrients (N+P205+K20)

6.03

Average Nutrient Content Dry Weight

<2 = Low, >5 = High

1.5-1-1

Rating As Received

The most commonly used compost data is the amount of Nitrogen, Phosphate, and Potash (abbreviated as N,P,K) present and the information is similar to that found in common fertilizers. If a compost result has the rating 1-2-2 it means that the compost has 1% Nitrogen, 2% Phosphate and 2% Potash. Most compost tests will have a average nutrient level (N+P+K) of < 5%.

**19-099-4099**

REPORT DATE  
**Apr 09, 2019**  
 RECEIVED DATE  
**Mar 27, 2019**

SEND TO  
**27791**



13611 B Street • Omaha, Nebraska 68144-3693 • (402) 334-7770  
 www.midwestlabs.com

ISSUE DATE  
**Apr 09, 2019**

**CITY OF RICHLAND  
 DOUG BULLOCK  
 PO BOX 190  
 RICHLAND WA 99352**

**REPORT OF ANALYSIS**  
 For: (27791) CITY OF RICHLAND  
 STA ANALYSIS

| Analysis | Level Found |            | Units | Reporting Limit | Method | Analyst-Date | Verified-Date |
|----------|-------------|------------|-------|-----------------|--------|--------------|---------------|
|          | As Received | Dry Weight |       |                 |        |              |               |

Sample ID: **ROW ASP-2** Lab Number: **8607660** Date Sampled: **2019-03-26**

|                    |       |       |       |      |          |                 |                 |
|--------------------|-------|-------|-------|------|----------|-----------------|-----------------|
| Cadmium (total)    | n.d.  | n.d.  | mg/kg | 0.50 | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Chromium (total)   | 10.5  | 19.0  | mg/kg | 1.00 | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Mercury (total)    | 0.11  | 0.20  | mg/kg | 0.05 | EPA 7471 | com2-2019/03/29 | bab2-2019/04/01 |
| Lead (total)       | 6.1   | 11.0  | mg/kg | 5.0  | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Molybdenum (total) | 3.8   | 6.8   | mg/kg | 1.0  | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Nickel (total)     | 14.3  | 25.8  | mg/kg | 1.0  | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Selenium (total)   | n.d.  | n.d.  | mg/kg | 10.0 | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Zinc (total)       | 168.5 | 304.2 | mg/kg | 2.0  | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Copper (total)     | 105   | 190   | mg/kg | 1    | EPA 6010 | ery3-2019/03/28 | bab2-2019/04/01 |
| Arsenic (total)    | 2.62  | 4.74  | mg/kg | 0.5  | EPA 6020 | ras7-2019/04/01 | bab2-2019/04/01 |

EPA 1681 holding time of < 24 hours from sampling to laboratory set up of samples for biosolids and compost has been exceeded. Individual states enforce different holding times for compost or biosolids so please contact the regulatory body in your state for their requirements.  
 n.d. = not detected , ppm = parts per million, ppm = mg/kg

For questions please contact:

Rob Ferris  
 Account Manager  
 ferris@midwestlabs.com (402)829-9871

The result(s) issued on this report only reflect the analysis of the sample(s) submitted.

Our reports and letters are for the exclusive and confidential use of our clients and may not be reproduced in whole or in part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.



US COMPOSTING COUNCIL

YORRY VIKRI NOZZLE ON THEM VAMPLING UZUNI HAVE TIME TO ORDER SAMPLE CONTAINERS, THE GOLD... UNUSALLY ACCOMPANIED THE SAMPLES WOULD BE THE SAME AS IN THE PAST. THANK YOU D. BULLOCK

OFFICIAL Seal of Testing Assurance Compost Sample Chain of Custody Form



8607660-660 Samples: 1 Page: 1/2 Lara L. Mills 2019 03 27 10:38

Form fields for STA Laboratory (Midwest Laboratories), Client/Reporting Company (City of Richland), and Name of Source of Sample (City of Richland Compost Facility).

Form fields for LABORATORY USE ONLY (Freezer, Cold Room, Storage Shelf), Sample Condition, Sample Type, and USCC Member status.

SELECTION OF ANALYSIS. Refer to http://www.tnccc.org/cap/methods.html for details. STA Suite; State DOT Tests (indicate State); A, B, C - Specify other tests in fields A through C.

Analysis selection table with columns A, B, C and checkboxes for STA Suite, State DOT, and Identify State.


Table with 8 columns: Client Sample ID and Special Instructions, Feedstocks (Green waste, Manure, Food, Biosolids, MSW, Wood), Collection Date/Time, Sample Matrix, Composting Operation Type, Shipping Temperature, Indicate Compost Analysis Requirements, and LAB USE ONLY Job Number & Sample Status.

INFORM THE STA LABORATORY AND SPECIFY THE REQUIRED LABORATORY TESTS WHEN SUBMITTING REGULATED COMPOST SAMPLES... PLEASE PROVIDE SPECIFIC FEEDSTOCK AND OPERATIONAL DETAIL IN THE SPACE PROVIDED.

Signature table with 4 rows for Releasing and Receiving signatures, including dates and times.

7.9 °C



Lab Number:  8607660-660  
 Samples: 1 Page: 2/2  
 Lara L. Mikels  
 2019 03 27 10:36

Thermometer Used:  Therm Fisher IR 12

Cooler Intact:  Yes  No  
 Received on Ice:  Yes  No  
 Hand Delivered:  Yes  No

Sample Temperature (°C): 7.9 °C

Date & Initials of person accepting samples: CP 3/27/19 Comments

|   |                                     |     |                                     |    |                                     |     |  |
|---|-------------------------------------|-----|-------------------------------------|----|-------------------------------------|-----|--|
| Chain of Custody present?                     | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Sample ID(s):                                 | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Sample Location(s):                           | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Client contact:                               | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Analysis Requested:                           | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Date & Time of collection:                    | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Sampler name on COC?                          | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Chain of custody relinquished with signature? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Chain of custody complete?                    | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Sample labels match COC?                      | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Written in indelible ink?                     | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Labels indicate proper preservation?          | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Samples arrived within hold time?             | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Samples arrived within correct temperature?   | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Sufficient volume?                            | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Appropriate containers used?                  | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/>            | No | <input type="checkbox"/>            | N/A |  |
| Filtered volume received for dissolved tests? | <input type="checkbox"/>            | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A |  |
| Headspace in VOA vials?                       | <input type="checkbox"/>            | Yes | <input type="checkbox"/>            | No | <input checked="" type="checkbox"/> | N/A |  |
| Trip Blank present?                           | <input type="checkbox"/>            | Yes | <input checked="" type="checkbox"/> | No | <input type="checkbox"/>            | N/A |  |

Client Notification/Resolution: \_\_\_\_\_ Date/Time Contacted: \_\_\_\_\_

Person Contacted: \_\_\_\_\_ Contacted By: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_